

---

**716118**

**BMM8FE7**

**GN1/1 FREESTANDING ELECTRIC BAIN-MARIE ON OPEN CABINET**

---



- Freestanding GN1/1 electric bain-marie on an open cabinet (80x45 cm).
- Mosaico74 is a special line of modular units, only 45 cm deep, which combine perfectly with the Tecno74 range to create compact cooking islands designed to make the best use of space.
- AISI 304 stainless steel worktop (15/10 thick) with Scotch Brite finish, set up for internal coupling without external joints.
- AISI 304 stainless steel control panel. Stainless steel side and back panels.
- Bain-marie maintains food temperature and melts delicate solid food, such as chocolate, butter and lard.
- The AISI 304 deep drawn tank with rounded corners is seamlessly welded to the worktop.
- Heating by means of stainless steel armoured electric heating elements outside the tank.
- Thermostatic control 0-30-60-90°C.
- Safety thermostat to protect the tank against ignition without water or excessive evaporation.
- Manual water filling.
- Drain lever and drain on the front panel.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

## TECHNICAL DATA

TOTAL POWER	1,3 kW	ELECTRIC POWER	1,3 kW
FREQUENCY	50/60 Hz	VOLTAGE	230 ~ V
TANK CAPACITY	GN1/1	TANK DIMENSIONS	30,6x50,8x16,5 cm
MINIMUM POWER CABLE CROSS-SECTION	3 x 1,5 n° - mm <sup>2</sup>	ELECTRIC CABLE TYPE	H07 RN-F
TANK TYPE	AISI 304	ELECTRICAL CONNECTION HEIGHT (Y)	-45 mm
DRAIN CONNECTION HEIGHT (H)	486 mm	DRAIN CONNECTION HEIGHT (X)	677 mm
DRAIN CONNECTION HEIGHT (Y)	-45 mm	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	IPX RATING	4
WIDTH	80 cm	DEPTH	45 cm
HEIGHT	90 cm	PACKAGE WIDTH	84 cm
PACKAGE DEPTH	52 cm	PACKAGE HEIGHT	116 cm
NET WEIGHT	28,5 kg	GROSS WEIGHT	41 kg
VOLUME	0,51 m <sup>3</sup>	HARMONISED CODE	84198180
LATENT HEAT RELEASE	260.0 W	SENSIBLE HEAT RELEASE	162.5 W
STEAM RELEASE	382.2 g/h		

## ACCESSORIES

120580	BAIN-MARIE FALSE BOTTOM (GN1/1)
120650	LID (GN1/1)
319002	STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90

INSTALLATION SCHEMES

