
716133

BRMD8FE7

**FREESTANDING ELECTRIC MULTI-PURPOSE
BRATT PAN 28L WITH DUPLEX TANK BOTTOM AND
ELECTRONIC CONTROL ON OPEN CABINET**



- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Freestanding multi-purpose electric bratt pan 28 L with electronic control on an open cabinet (80 cm).

TECHNICAL DATA

TOTAL POWER	9 kW	ELECTRIC POWER	9 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
TEMPERATURE RANGE	50÷320 °C	TANK CAPACITY	28t
TANK DIMENSIONS	67,2x57x10,2 cm	MINIMUM POWER CABLE CROSS-SECTION	5 x 1,5 n° - mm ²
TANK BOTTOM THICKNESS	3(AISI316)+12(Fe510) mm	DRAINING THE TANK	Drain in the tank
ELECTRIC CABLE TYPE	H07 RN-F	WIDTH	80 cm
DEPTH	70 cm	HEIGHT	90 cm
PACKAGE WIDTH	86 cm	PACKAGE DEPTH	81 cm
PACKAGE HEIGHT	114,0 cm	NET WEIGHT	62 kg
GROSS WEIGHT	82 kg	VOLUME	0,7900 m ³
HARMONISED CODE	84198180		

ACCESSORIES

- 719005 TECNO74 REAR COVERING PANEL FOR FREESTANDING ELEMENTS (L=80CM)
- 799503 SIDE COVERING PANEL FOR FREESTANDING MODULE
- 799506 PAIR OF CLOSING ELEMENTS (L=70CM)

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.648.00