


716168

PIN4FE7N

**FREESTANDING 2-ZONE INDUCTION BOILING TOP
ON OPEN CABINET**



- Freestanding induction boiling top (40 cm) with 2 independent cooking zones on an open cabinet.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Glass ceramic boiling top (6 mm thick) hermetically sealed to the top for maximum hygiene and ease of cleaning.
- 3.5 kW independent cooking zones each.
- Power regulator 0-6-infinite.
- Increased heating speed compared to other boiling top types.
- Heating is enabled only when in contact with the pan, saving energy and reducing overheating.
- Front air filter drawer easily accessible for cleaning and replacement.
- LED lights for detecting pans and signalling operation and errors.
- To optimise efficiency, use high-quality induction cookware with a base diameter ranging between 12 cm and 28 cm.
- Technical compartment for easy connection to the electrical network.
- Avoid placing above ovens or refrigerated bases.

TECHNICAL DATA

TOTAL POWER	7 kW	ELECTRIC POWER	7 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3 ~ V
COOKING ZONE POWER	2x3,5 n°- kW	CABINET DIMENSIONS	33x57,4x39,5 cm
NUMBER OF COOKING ZONES	n° 2	MINIMUM POWER CABLE CROSS-SECTION	4 x 1,5 n° - mm ²
ELECTRIC CABLE TYPE	H07 RN-F	CAMPO_0079	0001
ELECTRICAL CONNECTION HEIGHT (H)	660 mm	ELECTRICAL CONNECTION HEIGHT (X)	361 mm
ELECTRICAL CONNECTION HEIGHT (Y)	-63 mm	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	IPX RATING	4
WIDTH	40 cm	DEPTH	70 cm
HEIGHT	90 cm	PACKAGE WIDTH	78 cm
PACKAGE DEPTH	45 cm	PACKAGE HEIGHT	114,0 cm
NET WEIGHT	33,6000 kg	GROSS WEIGHT	48,6000 kg
VOLUME	0,4300 m ³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	196.0 W	SENSIBLE HEAT RELEASE	490.0 W
STEAM RELEASE	287.0 g/h		

ACCESSORIES

319002	STAINLESS STEEL RH/LH DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90
719004	TECNO74 REAR COVERING PANEL FOR FREESTANDING ELEMENTS (L=40CM)
799503	SIDE COVERING PANEL FOR FREESTANDING MODULE
799506	PAIR OF CLOSING ELEMENTS (L=70CM)

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.650.00