

716210

FTR12FE7B

## FREESTANDING ELECTRIC GRIDDLE WITH BRUSHED, CHROME-PLATED, 1/3 RIBBED PLATE ON OPEN CABINET



- Freestanding electric griddle on an open cabinet (120 cm) with a brushed chrome-plated, 2/3 smooth and 1/3 ribbed cooking plate to cook a variety of products: from meat to fish and vegetables.
- The cooking plate, recessed and hermetically welded to the worktop, allows you to cook large quantities of different foods.
- Sloped cooking plate (15 mm thick) to facilitate the drainage of grease and liquids.
- 3 independent cooking zones.
- The anti-scratch cooking plate ensures resistance to scratches and corrosion, while the striping enhances product grilling.
- The non-stick plate ensures quick and effortless cleaning, prevents oxidation, and eliminates any flavour transfer.
- The chrome-plated surface ensures less energy consumption and heat dispersion.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- Scraper included.
- Chrome-plated griddles comply with EU Regulation 1935/2004 concerning food contact materials and articles which are intended to come into contact with food.
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Equipment intended for direct cooking of food, use for heating pots or pans is not permitted.
- Heating through stainless steel armoured heating elements.
- Operating thermostatic valve with temperature control ranging between 70°C and 310°C.
- Heating and control commands specific for each zone.
- Removable liquid and grease collection drawer with overflow hole.
- Fitted with a safety thermostat that triggers in case of abnormal operation.
- Removable splashback on 3 sides and cap supplied.
- Technical compartment for easy connection to the electrical network mains.

## TECHNICAL DATA

|                                   |                              |                                  |   |
|-----------------------------------|------------------------------|----------------------------------|---|
| TOTAL POWER                       | 11,7 kW                      | ELECTRIC POWER                   | 11,7 kW   |
| FREQUENCY                         | 50/60 Hz                     | VOLTAGE                          | 380-415 3N~ V                                     |
| TEMPERATURE RANGE                 | 60÷270 °C                    | CABINET DIMENSIONS               | 113x57,4x39,5 cm                                  |
| MINIMUM POWER CABLE CROSS-SECTION | 5 x 2,5 n° - mm <sup>2</sup> | COOKING SURFACE                  | 113x56 cm   |
| ELECTRIC CABLE TYPE               | H07 RN-F                     | PLATE TYPE                       | Brushed chrome-plated - 1/3 ribbed and 2/3 smooth |
| HEATING ZONES                     | n° 3                         | ELECTRICAL CONNECTION HEIGHT (H) | 660 mm  |
| ELECTRICAL CONNECTION HEIGHT (X)  | 1121 mm                      | ELECTRICAL CONNECTION HEIGHT (Y) | -63 mm  |
| FOOT HEIGHT                       | 155 mm                       | FOOT ADJUSTMENT                  | 155/250 mm  |
| IPX RATING                        | 4                            | WIDTH                            | 120 cm  |
| DEPTH                             | 70 cm                        | HEIGHT                           | 90 cm   |
| PACKAGE WIDTH                     | 125 cm                       | PACKAGE DEPTH                    | 82,0 cm   |
| PACKAGE HEIGHT                    | 112 cm                       | NET WEIGHT                       | 137 kg  |
| GROSS WEIGHT                      | 150 kg                       | VOLUME                           | 1,13 m <sup>3</sup>                               |
| HARMONISED CODE                   | 84198180                     | LATENT HEAT RELEASE              | 4680.0 W  |
| SENSIBLE HEAT RELEASE             | 3861.0 W                     | STEAM RELEASE                    | 6879.6 g/h  |

## ACCESSORIES

|        |                                    |
|--------|------------------------------------|
| 120595 | GRIDDLE-CLEANING SCRAPER           |
| 120597 | SCRAPER - SPARE BLADE KIT (10 PCS) |
| 719040 | SIDE HEAT PROTECTION DEVICE        |
| 799506 | PAIR OF CLOSING ELEMENTS (L=70CM)  |

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.654.00