

964613

EFP05T

TAP PASTRY ELECTRIC COMBI STEAMER WITH 5 TRAYS (600X400MM), TOUCH SCREEN, DIRECT STEAM, CORE PROBE AND AUTOMATIC WASHING



- 5-tray pastry electric combi steamer (60x40 cm) with direct steam.
- The hermetically welded and deep drawn cooking chamber, made of polished AISI 304 stainless steel (1 mm thick) with rounded and hygienic corners, is designed to achieve optimal circulation of hot air flow.
- AISI 304 watertight door with high-performance and easily replaceable gasket and 2 glass panes: the outer pane is 4 mm thick and the inner pane is 6 mm thick with a thermal reflective treatment for enhanced energy efficiency. Air tunnels over the entire door surface for the operator's safety.
- Cooking chamber lighting through LEDs in the door.
- The interface is as user-friendly as a smartphone, thanks to a 7-inch capacitive touch display.
- The cooking parameters are easily visible at a glance, thanks to the automatic distance display mode.
- The 10 cooking cycles help save energy and obtain excellent results.
- Half Power function for energy savings.
- The inverter with autoreverse controls 6 standard speeds and 6 "pulsed" speeds. In the latter, the fan pauses are longer and important for obtaining perfect cooking results for all-baked goods, especially for delicate products such as meringues, macarons and soufflés.
- Climafix controls the humidity in the chamber, i.e. it eliminates excess water by quickly extracting steam (6 cm vent).
- Programmable steam puff for each cooking cycle, which can be set to last up to 20 seconds, to enhance the leavening and browning of the surface of baked products and pastries.
- Multipoint core probe with 5 detection points included.
- Cookbook: Hundreds of preloaded recipes featuring ingredients, preparation methods, cooking cycles, and images of the finished dish.
- Multifood technology for cooking several foods simultaneously.
- Quick cooling function of the cooking chamber.
- Integration with the Cloud platform for controlling recipes and ovens easily.
- Kromia: the LED light under the dial indicates the operating status by changing colour.
- PowerGrill to cook products at 300°C (for maximum 5 minutes).
- HACCP and consumption data recording.

TECHNICAL DATA

TOTAL POWER	10,25 kW	ELECTRIC POWER	10,25 kW
FREQUENCY	50/60 Hz	VOLTAGE	380-415 3N~ V
MOTOR FAN ELECTRIC POWER	0,25 kW	CONVECTION UNIT POWER	10 kW
TRAY CAPACITY	n° 5x(600x400)	MAXIMUM FOOD LOAD	24 Kg
COOKING CHAMBER DIMENSIONS	66x45x49 cm	GUIDES	n° 5
VERTICAL DISTANCE BETWEEN TRAYS	9 cm	MINIMUM POWER CABLE CROSS-SECTION	5 x 2,5 n° - mm ²
THERMAL INSULATION THICKNESS	35 mm	STEAM CYCLE TEMPERATURE	50÷130 °C
MIXED CYCLE TEMPERATURE	50÷250 °C	CONVECTION CYCLE TEMPERATURE	50÷300 °C
ELECTRIC CABLE TYPE	H07 RN-F	OVEN TYPE	Digital - tray 400 x 600 mm
FAN SPEED	6 + 6 pulsed	WATER CONNECTION POSITION	18cm
WATER DRAIN POSITION	18cm	WATER CONNECTION DIAMETER	3/4"
DRAIN DIAMETER	1,9685"	WIDTH	96 cm
DEPTH	79,5 cm	HEIGHT	74 cm
PACKAGE WIDTH	104 cm	PACKAGE DEPTH	95 cm
PACKAGE HEIGHT	95 cm	NET WEIGHT	122,2 kg
GROSS WEIGHT	134,2 kg	VOLUME	0,96 m ³
HARMONISED CODE	84198180		

ACCESSORIES

9037	CHROME-PLATED GRID (600X400MM)	9041	SMOOTH ALUMINIUM TRAY 600X400 H=20MM
9042	ALUMINUM COATED SMOOTH TRAY 600X400 H=40MM	9045	PERFORATED ALUMINIUM TRAY 600X400 H=65MM
9046	ALUMINIUM BAGUETTES BAKING TRAY	951915	ALKALINE DETERGENT TANK (10LT) FOR OVENS
951945	WHEELS KIT FOR OVENS BASE	951947	DESCALER FOR A 10L BOILER
951950	NEEDLE CORE PROBE FOR VACUUM COOKING	951961	PIPING KIT FOR WATER INLET AND OUTLET
961910	ALUMINIUM TRAY WITH HEAT RETENTION FOR PIZZA (600X400 MM)	961912	PAIR OF 6X70MM SPACED SIDE RUNNERS (6 TRAYS) FOR EFP05
961936	CONDENSATE EXHAUST HOOD FOR TAP PASTRY OVENS, 220-240V, 50/60HZ, 0.25KW MOTOR	961937	CLOSED CABINET WITH SIDE RUNNERS AND DETERGENT TANK SUPPORT FOR PASTRY OVENS
961938	CROSSWISE HUMIDIFIED (WATER INJECTION) CABINET WITH GLASS DOORS, 14 TRAYS (600X400MM)	961939	LENGTHWISE HUMIDIFIED (WATER INJECTION) CABINET WITH GLASS DOORS, 14 TRAYS (600X400MM)
961941	BASE UNIT WITH SIDE RUNNERS FOR TAP PASTRY OVENS	961943	COVERING PANEL FOR 5 TRAYS PASTRY WITH HOOD ON TOP OF A NEUTRAL CUPBOARD OR A HOT CUPBOARD OR A PROOVER CABINET OR A BASE
961944	STACKING KIT FOR 2X5 TRAY TAP ELECTRIC OVENS	961945	STACKING KIT FOR TAP PASTRY ELECTRIC OVENS WITH 1X5 TRAYS AND 1X8 TRAYS
961946	PAIR OF 70MM SPACED SIDE RUNNERS (6 GN1/1 AND 600X400MM TRAYS) FOR EFP05T	961950	TEFLON COATED ALUMINIUM TRAY (600X400MM)
961951	TEFLON COATED ALUMINIUM PERFORATED TRAY (600X400MM)	TXXXXXS	TAP LEFT OPENING DOOR - EXCEPT FOR OVENS WITH 16/20 TRAYS - TO BE REQUESTED WHEN ORDERING

